Author Index

Amano, T., see Ikeuchi, I. 273
Ando, T., see Otsuka, K. 350
Asukabe, H.
——, Yoneyama, H., Mori, Y., Harada, K.-I., Suzuki, M. and Oka, H.
Improvement of chemical analysis of antibiotics. XI. Simultaneous fluorodensitometric determination of polyether antibiotics 261
Axelsen, S., see Melksham, K. J. 399
Baerheim Svendsen, A., see Van der Heijden, R. 410
Balansard, G., see Vidal-Ollivier, E. 421
Banerjee, S.
—— and Castrogivanni, M. A.
Indirect detection of non-electrolytes in liquid chromatography with additive saturated eluents 169
Bauer, R. W., see Wenzel, T. J. 51
Baveja, S. K.
—— and Singh, S.
Thin-layer chromatographic examination of the degradation of centbucridine in aqueous solutions 337
Begos, A., see Tambuté, A. 65
Bhide, S. V., see Nandedkar, U. N. 363
Blessington, B.
——, Crabb, N. and O'Sullivan, J.
Chiral high-performance liquid chromatographic studies of 2-(-4-chloro-2-methylphenoxy)propanoic acid 177
Burns, D. T., see Dynes, K. 183
Carmen Lopez Martinez, M. Del, see Guerra Hernandez, E. 416
Castrogivanni, M. A., see Banerjee, S. 169
Caude, M., see Tambuté, A. 65
Chambard, P.
—— and Reboul, A.
Isolation of a 48-kilodalton chicken embryo erythrocyte membrane glycoprotein by ion-exchange and gel fast protein liquid chromatography 425
Chaplin, M. A., see Weir, M. P. 209
Chen, J. R., see Chow, D. 217
Chen, S.-H.
——, Wu, H.-L., Tanaka, M., Shono, T. and Funazo, K.
Simultaneous gas chromatographic determination of iodide, nitrite, sulphide and thiocyanate anions by derivatization with pentafluorobenzyl bromide 129
Chen, T.-M.
——, Coutant, J. E., Sill, A. D. and Fike, R. R.
Thermospray high-performance liquid chromatographic–mass spectrometric analysis of the degradation products of piroximone 382
Chow, D.
——, Shah, J. and Chen, J. R.
Stability-indicating high-performance liquid chromatography of etoposide at various pH conditions using a reversed-phase octyl column 217
Coutant, J. E., see Chen, T.-M. 382
Crabb, N., see Blessington, B. 177
Daly, R. E., see Geria, T. 191
Del Carmen Lopez Martinez, M., see Guerra Hernandez, E. 416
Doehl, J., see Mostad, H. B. 157
Döhren, H. von, see Kirchner, A. 199
Doi, Y.
——, Kiniwa, H., Nishikaji, T. and Ogata, N.
Chromatographic optical resolution of hydantoins by poly(N^5-benzyl-L-glutamine) covalently bound to polystyrene resin 395
Donatelli, M., see Wenzel, T. J. 51
Ďulák, K.
—— and Jonáš, F.
Determination of phosmet by high-performance liquid chromatography 433
Durand, H., see Ellouz, S. 307
Dynes, K.
—— and Burns, D. T.
Identification of weathered petrol residues by high-resolution gas chromatography with dual flame ionisation detector–Hall electrolytic conductivity detector 183
Ellouz, S.
——, Durand, H. and Tiraby, G.
Analytical separation of *Trichoderma reesei* cellulases by ion-exchange fast protein liquid chromatography 307
Ericsson, A., see Näsholm, T. 225
Fike, R. R., see Chen, T.-M. 382
Fournet, B., see Kol, O. 281
Fukushima, K., see Okamoto, M. 345
Funazo, K., see Chen, S.-H. 129
Garcia Villanova, R., see Guerra Hernandez, E. 416

Gaydou, E. M.
—— and Randriamiharisoa, R. P.
Gas chromatographic diastereomer separation of linalool derivatives. Application to the determination of the enantiomeric purity of linalool in essential oils 378
Geria, T.
——, Hong, W.-A. and Daly, R. E.
Improved high-performance liquid chromatographic assay of erythromycin in pharmaceutical solid dosage forms 191
Green, M. R., see Haken, J. K. 121
Goto, S., see Shiga, N. 327
Guerra Hernandez, E.
——, Del Carmen Lopez Martinez, M. and Garcia Villanova, R.
Determination by gas chromatography of terpenes in the berries of the species *Juniperus oxycedrus* L., *J. thurifera* L. and *J. sabina* L. 416
Haginaka, J.
—— and Wakai, J.
Fluorimetric determination of amino acids by high-performance liquid chromatography using a hollow-fibre membrane reactor 297
Haken, J. K.
—— and Green, M. R.
Analysis of cross-linked alkyd amino formaldehyde resin systems 121
Harada, K.-I., see Asukabe, H. 261
Heijden, R. van der, see Van der Heijden, R. 287, 410
Hermans-Lokkerbol, A., see Van der Heijden, R. 410
Hernandez, E. Guerra, see Guerra Hernandez, E. 416
Hirata, N.
——, Kasai, M., Yanagihara, Y. and Noguchi, K.
Amphipathic character of hydrophilic polymer gel columns 115
Hjertén, S.
——, Wu, B.-l. and Liao, J.-l.
An high-performance liquid chromatographic matrix based on agarose cross-linked with divinyl sulphone 101
Honda, S.
——, Suzuki, S. and Kakehi, K.
Separation of carbohydrates and lectins on carbohydrate-immobilized resins 93
Hong, W.-H., see Geria, T. 191
Hsu, T.-B., see Shah, P. 31
Hung, T. K., see Rösch, F. 43
Ikeuchi, I.
—— and Amano, T.
Quantitation of sodium mercaptoundecahydrododecaborate by capillary isotachophoresis 273
Ishii, D., see Takeuchi, T. 149
Jinno, K., see Okamoto, M. 345
Jonáš, F., see Ďulák, K. 433
Kakehi, K., see Honda, S. 93
Kale, N. R., see Nandedkar, U. N. 363
Kamata, K.
—— and Motohasi, N.
Separation of methyl-substituted benz[*c*]acridines by reversed-phase high-performance thin-layer chromatography 437
Kanda, M., see Yamamoto, S. 404
Kasai, M., see Hirata, N. 115
Khalkin, V. A., see Rösch, F. 43
Kiniwa, H., see Doi, Y. 395
Kirchner, A.
——, Simonis, M. and Von Döhren, H.
Preparation of the multienzyme system gramicidin S-synthetase 2 with an aqueous three-phase system 199
Kok, W. Th., see Traag, W. A. 389
Kol, O.
——, Montreuil, J., Fournet, B., Zalisz, R. and Smets, P.
Purification of the lipopolysaccharide fraction from *Klebsiella pneumoniae* O_1 K_2 by high-performance liquid chromatography 281
Lamping, P. J., see Van der Heijden, R. 287
Lebedev, N. A., see Rösch, F. 43
Liao, J.-l., see Hjertén, S. 101
Lienne, M., see Tambuté, A. 65
Liu, B., see Pazur, J. H. 139
McMinn, D. G., see Yonker, C. R. 19
Maillard, C., see Vidal-Ollivier, E. 421
Månsson, M.-O., see Norrlöw, O. 374
Matano, O., see Shiga, N. 327
Melksham, K. J.
—— and Axelsen, S.
Preparation, identification, separation, gas–liquid and thin-layer chromatography of the 2,4-dinitrophenylhydrazone derivatives of acetone and acrylaldehyde 399
Milanov, M., see Rösch, F. 43
Miskiel, F. J., see Pazur, J. H. 139
Montreuil, J., see Kol, O. 281
Mori, Y., see Asukabe, H. 261
Mosbach, K., see Norrlöw, O. 374
Mostad, H. B.
—— and Doehl, J.
Separation and characterization of oleanene-type pentacyclic triterpenes from *Gypsophila arrostii* by liquid chromatography–mass spectrometry 157
Motohasi, N., see Kamata, K. 437
Murakami, T., see Tsukioka, T. 319

Näsholm, T.
——, Sandberg, G. and Ericsson, A.
Quantitative analysis of amino acids in conifer tissues by high-performance liquid chromatography and fluorescence detection of their 9-fluorenylmethyl chloroformate derivatives 225
Nandedkar, U. N.
——, Sawhney, S. Y., Bhide, S. V. and Kale, N. R.
Sephacryl S-300 – An affinity matrix which distinguishes concanavalin A from other D-mannose/D-glucose-specific lectins 363
Nishikaji, T., see Doi, Y. 395
Nishikawa, Y.
—— and Taguchi, K.
Ion chromatographic determination of nitrogen dioxide and sulphur dioxide in the atmosphere using triethanolamine–potassium hydroxide-coated cartridges 251
Nobuhara, K., see Okamoto, M. 345
Noguchi, K., see Hirata, N. 115
Nomura, M., see Yamamoto, S. 355
Norrlöw, O.
——, Månsson, M.-O. and Mosbach, K.
Improved chromatography: prearranged distances between boronate groups by the molecular imprinting approach 374
Ogata, N., see Doi, Y. 395
Oka, H., see Asukabe, H. 261
Okamoto, M.
——, Jinno, K., Yamagami, M., Nobuhara, K. and Fukushima, K.
Retention behaviour of phenylthiohydantoin amino acids in micro high-performance liquid chromatography with octadecyl bonded glasses and silicas 345
Ollivier, B., see Vidal-Ollivier, E. 421
O'Meara, L. J., see Wenzel, T. J. 51
O'Sullivan, J., see Blessington, B. 177
Otsuka, K.
——, Terabe, S. and Ando, T.
Quantitation and reproducibility in electrokinetic chromatography with micellar solutions 350
Out, P. P., see Van der Heijden, R. 287
Padalikar, S. V., see Patil, V. B. 441
Patil, V. B.
——, Sevaikar, M. T. and Padalikar, S. V.
Specific spray reagent for the detection of endosulfan by thin-layer chromatography 441
Pazur, J. H.
——, Miskiel, F. J. and Liu, B.
Identification of furanose and pyranose ring forms of carbohydrates by methylation, gas–liquid chromatography and mass spectrometry 139
Perrut, M.
Description physico-chimique de la chromatographie avec éluant supercritique. I. Écoulement de fluides en état supercritique dans les milieux poreux 1
Pirkle, W. H.
—— and Sowin, T. J.
Design, preparation and performance of a phthalide-based chiral stationary phase 83
Randriamiharisoa, R. P., see Gaydou, E. M. 378
Reboul, A., see Chambard, P. 425
Regoeczi, E., see Rudolph, J. R. 369
Rösch, F.
——, Hung, T. K., Milanov, M., Lebedev, N. A. and Khalkin, V. A.
Electromigration of carrier-free radionuclides. III. Oxalate and tartrate complexes of ytterbium (III) in aqueous solution 43
Rogers, L. B., see Shah, P. 31
Rosset, R., see Tambuté, A. 65
Rudolph, J. R.
—— and Regoeczi, E.
Isolation of the rat transferrin receptor by affinity chromatography 369
Sandberg, G., see Näsholm, T. 225
Sano, Y., see Yamamoto, S. 355
Sawhney, S. Y., see Nandedkar, U. N. 363
Schwadrohn, G., see Vidal-Ollivier, E. 421
Sevaikar, M. T., see Patil, V. B. 441
Shah, J., see Chow, D. 217
Shah, P.
——, Hsu, T.-B. and Rogers, L. B.
^{1}H and ^{13}C nuclear magnetic resonance studies of enantio-selective hydrogen bonding of fluoroalkyl carbinol by chiral butoxycarbonyl-D-valine 31
Shiga, N.
——, Matano, O. and Goto, S.
Residue analysis of triflumizole and its metabolite in crops by high-performance liquid chromatography 327
Shono, T., see Chen, S.-H. 129
Sill, A. D., see Chen, T.-M. 382
Simonis, M., see Kirchner, A. 199
Singh, S., see Baveja, S. K. 337
Smets, P., see Kol, O. 281
Smith, R. D., see Yonker, C. R. 19
Sowin, T. J., see Pirkle, W. H. 83
Sparks, J., see Weir, M. P. 209
St. Cyr, L. Y., see Wenzel, T. J. 51
Suzuki, M., see Asukabe, H. 261
Suzuki, S., see Honda, S. 93
Taguchi, K., see Nishikawa, Y. 251
Tahara, S., see Yamamoto, S. 404

Takeuchi, T.
—— and Ishii, D.
Indirect photometric detection of hydrocarbons in micro high-performance liquid chromatography 149
Tambuté, A.
——, Begos, A., Lienne, M., Caude, M. and Rosset, R.
New chiral stationary phases containing a phosphorus atom as an asymmetric centre. I. Synthesis and first chromatographic results 65
Tanaka, M., see Chen, S.-H. 129
Terabe, S., see Otsuka, K. 350
Tiraby, G., see Ellouz, S. 307
Traag, W. A.
——, Van Trijp, J. M. P., Tuinstra, L. G. M. Th. and Kok, W. Th.
Sample clean-up and post-column derivatization for the determination of aflatoxin B1 in feedstuffs by liquid chromatography 389
Trijp, J. M. P. van, see Traag, W. A. 389
Tsukioka, T.
—— and Murakami, T.
Capillary gas chromatographic–mass spectrometric determination of pyridine bases in environmental samples 319
Tuinstra, L. G. M. Th., see Traag, W. A. 389
Utley, D.
Analysis of formulations containing pralidoxime mesylate by liquid chromatography 237
Van der Heijden, R.
——, Hermans-Lokkerbol, A., Verpoorte, R. and Baerheim Svendsen, A.
Pharmacognostical studies of *Tabernaemontana* species. XX. Ion-pair droplet countercurrent chromatography of indole alkaloids from suspension cultures 410
——, Lamping, P. J., Out, P. P., Wijnsma, R. and Verpoorte, R.
High-performance liquid chromatographic determination of indole alkaloids in a suspension culture of *Tabernaemontana divaricata* 287
Van Trijp, J. M. P., see Traag, W. A. 389
Verpoorte, R., see Van der Heijden, R. 287, 410
Vidal-Ollivier, E.
——, Schwadrohn, G., Maillard, C., Balansard, G. and Ollivier, B.
Assay for epinephrine and its impurities using reversed-phase high-performance liquid chromatography. Application to control of an eye-drop solution 421
Villanova, R. Garcia, see Guerra Hernandez, E. 416
Von Döhren, H., see Kirchner, A. 199
Wakai, J., see Haginaka, J. 297
Weir, M. P.
——, Sparks, J. and Chaplin, M. A.
Micropreparative purification of recombinant human Interleukin-2 209
Wenzel, T. J.
——, Yarmaloff, L. W., St. Cyr, L. Y., O'Meara, L. J., Donatelli, M. and Bauer, R. W.
Metal chelate polymers as selective sorbents for gas chromatography 51
Wijnsma, R., see Van der Heijden, R. 287
Wright, B. W., see Yonker, C. R. 19
Wu, B.-l., see Hjertén, S. 101
Wu, H.-L., see Chen, S.-H. 129
Yamagami, M., see Okamoto, M. 345
Yamamoto, S.
——, Kanda, M., Yokouchi, M. and Tahara, S.
Simultaneous determination of multiple additives in cosmetics by high-performance liquid chromatography. II. Pre-treatment procedure for oil-rich cosmetics 404
Yamamoto, S.
——, Nomura, M. and Sano, Y.
Purification of β-galactosidase by large-scale gradient elution ion-exchange chromatography 355
Yanagihara, Y., see Hirata, N. 115
Yarmaloff, L. W., see Wenzel, T. J. 51
Yokouchi, M., see Yamamoto, S. 404
Yoneyama, H., see Asukabe, H. 261
Yonker, C. R.
——, McMinn, D. G., Wright, B. W. and Smith, R. D.
Effect of temperature and modifier concentration on retention in supercritical fluid chromatography 19
Zalisz, R., see Kol, O. 281